



SCAN ME
FOR FULL
DETAILS

safety platforms ltd
20 Years of improving site safety



EASY STAIR

- Speeds up build process
- Resolves late staircase delivery
- Prevents finished stairs damage
- Floor heights 2.65 - 3.05m
- SWL: 250kg
- Lightweight & easy to handle
- Only 5 minutes to install



Telesafe - Telescopic Edge Protection System



Fast Fit | High Visibility | High Strength | Flexible Layouts



Stairsafe Stairwell Platform System



STAIR SAFE

20 YEARS of Safer Stairwells

- Most popular Stairwell Platform in UK
- Two Minutes to Assemble
- Extremely Safe
- Minimal Training
- Half The Price of other options



01924 420820 | safetyplatforms.co.uk | info@safetyplatforms.co.uk

- NoScaf50 replaces single lift scaffolds
- Ideal for internal blockwork to 2.5m high
- Saves on expensive scaffolding
- Less reliance on scaffolders
- Continuous working platform
- Internal / External corners with ease
- No training required
- 0.5m high – no edge protection required



Edge Protection

SAFE & SIMPLE Edge Protection

Formed using steel posts and timber guardrails. Universal post works at corners, ends and midpoints



Scan Me
For Details

Get In Touch

Get In Touch:

Call Michael or Ryan to discuss your requirements – we are here to help!

Health & Safety problem? Call us to discuss, we have 40 years experience of problem solving and developing bespoke solutions.

01924 420820

info@safetyplatforms.co.uk

safety platforms ltd
20 Years of improving site safety



Scan Me
For Details

Ramp

Formed from robust steel these ramps provide Safe, Easy Access. Mesh covering provides an anti-slip surfaces for pedestrians and wheel barrows.



Scan Me
For Details

Ladder Hatch

Allows Safe, Easy ladder access between floors prior to stair installation

Strong, lightweight, anti-slip aluminium.

Easy to move between plots



Scan Me
For Details

Loading Hatch

Board loading hatch allows easy loading of sheet materials to upper floors

Removes risks of carrying sheet materials up stairwells.

Improved productivity

Improved safety



Scan Me
For Details

Ladder Guard

Prevents unauthorised access

Simple one piece design

Steel plate with chain

No loose components

Padlocks available



Scan Me
For Details

STA System - Safe Truss Access




STA System – Safe Truss Access:

S.T.A. System is the industry standard for safely fixing roof truss bracing
Provides SAFE, EASY access to higher levels of the trusses where bracing is fixed
Lightweight and Easy to use
Used on ALL Major Housebuilders sites



Scan Me
For Details



Harness System

Harness and lanyard to allow safe working on ladders.
Two point, fall arrest harness, with 3 bar slide and rectangular link, leg and chest connections. Adjustable length shoulder straps with a 3 bar buckle.



Scan Me
For Details

EasyLoad

Allows easy loading of sheet materials to upper floors
Removes risks of carrying sheet materials up stairwells.
Improved Productivity
Improved Safety



Scan Me
For Details

SafeStep

Heavy duty plastic step ideal for internal trades
300mm high
EN131 Compliant
SWL 150 kg



Scan Me
For Details

OddJob 600

600 x 600mm platform
500mm high
Approx 2.4m working height



Scan Me
For Details

BigFoot Platform

Very popular hop-up
600mm wide
800mm long
600mm high



Scan Me
For Details

Podium Platform

Complies with new PASMA 250 Standard for Podiums
Complies with Work at Height Regulations
Now with 2 wheels & 2 bases
Anti-surf to meet new standards



Scan Me
For Details

Delta Deck



One piece access platform
Height adjustable
Integral guardrails
Large Platform



TeleTower



Height adjustable
Platform height up to 2.0m
Working height up to 4.0m
Many built in safety features



Folding Scaffold



Various heights available
Height adjustable
Fits through doorways
Fast assembly



Scaffold Tower



Narrow and standard width available
Various heights available
Top quality built in the UK



No Nocs



High density foam protectors
Attach to scaffolds or MEWPs to prevent damage to finished surfaces



Tele Ladder



0.75m when closed
2.9m when extended
3.7m working height
Easy to store and transport



Ladders



Short duration work
Lightweight & durable
Double or triple
8 to 15 rungs



Board Trolley



820 kg capacity
UK manufactured
Available with locking wheels
UK manufactured

